CORE FORM

LUXURY VINYL FLOORING

BY CORE GRAIN

Beautiful spaces begin here.

SELECT & SIGNATURE / THE FLOORING COLLECTION




Luxury vinyl. Considered by design.

Nordhaven Oak Herringbone

WELCOME TO CORE FORM

A considered foundation.

Core Form brings together the character of wood and stone with the everyday practicality of glue-down luxury vinyl flooring. A collection of considered colours and distinctive laying patterns gives you the freedom to shape a space that feels your own.



Part of the Core Grain family, Core Form offers two collections: Select and Signature. Explore the roomsets, compare the colours and choose the scale and pattern that suit your interior.

Explore the collection

Why Core Form 03

Compare the collections 04

Select: wood & stone 05

Signature: wood & chevron 11

Pattern & room inspiration 15

Feature strips 16

Technical performance 18

Sizes & fitting guidance 19

Product reference index 21

THE CORE FORM DIFFERENCE

Made for everyday life.



Lifetime residential warranty

15-year commercial warranty

Underfloor heating compatible

Scratch resistant

Waterproof

Hardwearing

Easy to clean

Perfect for every room

Practical by nature

A waterproof flooring product with a hardwearing surface, designed for straightforward daily care.

Comfort in the detail

Compatible with suitable underfloor heating systems, with a maximum floor surface temperature of 27°C.

Lifetime residential and 15-year commercial warranty, subject to terms. Scratch resistant does not mean scratch proof. A waterproof floor covering does not waterproof the subfloor or the room.

FIND YOUR CORE FORM

Two collections. One vision.

SELECT

2.5 mm

TOTAL THICKNESS

0.55 mm

WEAR LAYER

Plank · Herringbone
Basket weave · Tile

An extensive palette of wood and stone effects, with a choice of familiar and decorative layouts.

Explore Select

SIGNATURE

3 mm

TOTAL THICKNESS

0.70 mm

WEAR LAYER

Wide plank · Herringbone
Chevron

Generous plank proportions, expressive parquet patterns and a thicker wear layer.

Explore Signature

Both collections are glue-down LVT, with lifetime residential and 15-year commercial warranty subject to terms. Colours and format availability differ; use the product listings to select the correct SKU.

SELECT COLLECTION

Select



Nordhaven Oak / Wide plank

A palette for living.

From pale Scandi-inspired oak to deep brown timber tones and stone effects, Select brings a versatile foundation to contemporary and traditional rooms. 2.5 mm overall thickness with a 0.55 mm wear layer.

SELECT / COLOUR PALETTE

Warmth, beautifully balanced.

Five versatile oak effects available in standard plank, wide plank, herringbone and basket weave.



Beaumont Oak

Pack colour: Beige Brown Oak

Standard plank CF-SEL-P185-711
Wide plank CF-SEL-P229-111
Herringbone CF-SEL-HB-211
Basket weave CF-SEL-BW-261



Chatsworth Oak

Pack colour: Warm Rustic Oak

Standard plank CF-SEL-P185-717
Wide plank CF-SEL-P229-117
Herringbone CF-SEL-HB-217
Basket weave CF-SEL-BW-267



Aurelia Oak

Pack colour: Golden Oak

Standard plank CF-SEL-P185-712
Wide plank CF-SEL-P229-112
Herringbone CF-SEL-HB-212
Basket weave CF-SEL-BW-262



Aveline Oak

Pack colour: Soft Natural Oak

Standard plank CF-SEL-P185-715
Wide plank CF-SEL-P229-115
Herringbone CF-SEL-HB-215
Basket weave CF-SEL-BW-265



Wychwood Oak

Pack colour: Rich Brown Oak

Standard plank CF-SEL-P185-714
Wide plank CF-SEL-P229-114
Herringbone CF-SEL-HB-214
Basket weave CF-SEL-BW-264

Your colour.
Your pattern.

Choose a colour first, then use the listed formats and SKUs to specify the floor.

See dimensions and pack coverage

SELECT / COLOUR PALETTE

Quietly distinctive.

A considered palette available in the Select standard plank format.



Lymington Oak

Pack colour: Light Sand Oak

Standard plank CF-SEL-P185-761



Clarendon Oak

Pack colour: Warm Neutral Oak

Standard plank CF-SEL-P185-763



Eversley Oak

Pack colour: Pale Grey Oak

Standard plank CF-SEL-P185-739



Ravenswick Oak

Pack colour: Vintage Grey Oak

Standard plank CF-SEL-P185-764



Wentworth Oak

Pack colour: Classic Brown Oak

Standard plank CF-SEL-P185-762

Your colour.
Your pattern.

Choose a colour first, then use the listed formats and SKUs to specify the floor.

See dimensions and pack coverage

SELECT / COLOUR PALETTE

From light to richly layered.

Explore these oak effects in wide plank, herringbone and basket weave.



Nordhaven Oak

Pack colour: Invisible Scandi Oak

Wide plank CF-SEL-P229-110
Herringbone CF-SEL-HB-210
Basket weave CF-SEL-BW-260



Montrose Oak

Pack colour: Light Brown Oak

Wide plank CF-SEL-P229-116
Herringbone CF-SEL-HB-216
Basket weave CF-SEL-BW-266



Kingsley Oak

Pack colour: Smoky Brown Oak

Wide plank CF-SEL-P229-118
Herringbone CF-SEL-HB-218
Basket weave CF-SEL-BW-268



Silvermere Oak

Pack colour: Ash Brown Oak

Wide plank CF-SEL-P229-113
Herringbone CF-SEL-HB-213
Basket weave CF-SEL-BW-263



Blenheim Oak

Pack colour: Rich Heritage Oak

Wide plank CF-SEL-P229-119
Herringbone CF-SEL-HB-219
Basket weave CF-SEL-BW-269

Your colour.
Your pattern.

Choose a colour first, then use the listed formats and SKUs to specify the floor.

See dimensions and pack coverage

SELECT / TILE COLLECTION

Stone, softly reimagined.





Bellagio Stone

Pack colour: Marbled White Stone

CF-SEL-TL-510



Ashford Stone

Pack colour: Grey Stone Effect

CF-SEL-TL-512



Portman Stone

Pack colour: Pebble Grey

CF-SEL-TL-511



Obsidian Slate

Pack colour: Grey Slate Effect


CF-SEL-TL-513

304.8 × 609.6 mm / 2.5 mm thickness / 0.55 mm wear layer

Complete the look with feature strips


SELECT / AVAILABLE FORMATS

The pattern changes everything.




Standard plank

185 × 1219 mm




Wide plank

228.6 × 1219.2 mm




Herringbone

76.2 × 457.2 mm



Basket weave

190.5 mm square + 76.2 × 457.2 mm plank



Tile

304.8 × 609.6 mm



Aurelia Oak / Basket weave

Diagrams illustrate laying effects. Colour and format availability are listed beside each swatch. Basket weave combines square pieces with matching surrounding planks.

SIGNATURE COLLECTION

Signature



Sandringham Oak / Herringbone

Space to make a statement.

Signature combines a 3 mm overall thickness and 0.70 mm wear layer with generous wide planks, herringbone and chevron. Explore warm natural tones and refined greys for interiors with lasting character.

SIGNATURE / COLOUR PALETTE

A generous sense of scale.

Five oak effects, each available in wide plank and herringbone. Choose a long, flowing line or a classic parquet rhythm.



Highgrove Oak

Pack colour: Light Natural Oak

Wide plank CF-SIG-P237-318
Herringbone CF-SIG-HB-418



Sandringham Oak

Pack colour: Natural Sand Oak

Wide plank CF-SIG-P237-316
Herringbone CF-SIG-HB-416



Eversley Oak

Pack colour: Pale Grey Oak

Wide plank CF-SIG-P237-319
Herringbone CF-SIG-HB-419



Belvedere Oak

Pack colour: Warm Brown Oak

Wide plank CF-SIG-P237-315
Herringbone CF-SIG-HB-415



Amberley Oak

Pack colour: Gold Brown Oak

Wide plank CF-SIG-P237-317
Herringbone CF-SIG-HB-417

Your colour.
Your pattern.

Choose a colour first, then use the listed formats and SKUs to specify the floor.

See dimensions and pack coverage

SIGNATURE / CHEVRON COLLECTION

A line worth following.





Clarendon Oak

Pack colour: Warm Neutral Oak

CF-SIG-CH-613



Lymington Oak

Pack colour: Light Sand Oak

CF-SIG-CH-611



Ravenswick Oak

Pack colour: Vintage Grey Oak

CF-SIG-CH-614



Wentworth Oak


Pack colour: Classic Brown Oak

CF-SIG-CH-612

158 × 710 mm / 3 mm thickness / 0.70 mm wear layer


SIGNATURE / AVAILABLE FORMATS

Choose your signature.




Wide plank

236.6 × 1532 mm



Herringbone

150 × 750 mm



Chevron

158 × 710 mm



Amberley Oak / Wide plank

Longer, wider boards create an expansive feel. Herringbone brings a familiar staggered parquet pattern; chevron creates a continuous, aligned V. Laying diagrams are illustrative.

INTERIOR INSPIRATION

Rooms with a point of view.



A warm welcome

Aurelia Oak / Select herringbone



Richly grounded

Wychwood Oak / Select wide plank



Restful geometry

Clarendon Oak / Signature chevron



A darker accent

Obsidian Slate / Select tile

Use the roomsets to explore tone, scale and laying direction. Always compare a physical sample in your own room before ordering.

CORE FORM / FEATURE STRIPS

The finishing line.

Define a tile layout with a subtle tonal joint or a contrasting line. Four feature-strip colours give you a simple way to personalise the finished effect.


Light Grey CF-ACC-FS-511

Graphite Black CF-ACC-FS-513

Smoked Grey CF-ACC-FS-512

Chalk White CF-ACC-FS-510

A small detail. A different finish.



Tonal joint



Contrasting joint

Strip colours and joint effects are illustrative. Check actual samples and confirm compatibility with the selected floor and installation system.

CHOOSING YOUR FLOOR

Find your own balance.

01

Start with the light

View physical samples at different times of day. Natural and artificial light can change how warm or cool a colour feels.

02

Consider the scale

Compare board width and length with the room proportions. The same colour can feel different as plank, herringbone or chevron.

03

Make the details work

Match your floor to walls, cabinetry and furnishings. For tiles, compare a tonal feature strip with a stronger contrast.



Screen colours and printed images are a guide. Individual designs vary in grain and tone; blend material from several packs during installation.

TECHNICAL INFORMATION

Performance in detail.

Test Item	Testing Method	Testing Result
Surface treatment:	-	Urethane ceramic bead/Excimer coating
Performance classification:	ISO10582	33: Commercial heavy 23: Domestic heavy
Dimensional stability:	ISO 23999 ASTM F 2199	≤0.2%
Heat curl:	ISO 23999	≤2mm
Static load:	ISO 24343-1	≤0.13 mm
Resistance to impact:	ISO 24344	No crack
Residual indentation:	ISO 24343-1	≤0.05mm
Abrasion resistance:	EN 660-2	Group T Pass
Light fastness:	ISO 105-B02	≥6
Reaction to fire:	ISO9239-1	Bfl -S1
Resistance to staining:	ISO 26987:2008	Pass
Slip resistance:	EN 13893 DIN 51130	Class DS R10
Chemical resistance:	ISO4918	Pass. No more than a slight change in surface dulling, surface attack or staining
Castor chair test:	ISO 4918:2016	Pass No visible damage after 25000 cycles
Underfloor heating	-	Suitable, max. 27°C
VOC emission:	FloorScore	Certified
	TUV PROFICERT	Certified
Environment:	EPD	Certified

Technical results are reproduced from the product specification data. Confirm the current product-specific technical sheet and installation requirements when specifying a floor.

DIMENSIONS & SPECIFICATION

Every format, at a glance.

Collection / format	Width × length	Edge profile	Pack coverage
Select / Standard plank	185 × 1219 mm	Micro Bevel	4.06 m²
Select / Wide plank	228.6 × 1219.2 mm	Micro Bevel	3.9 m²
Select / Herringbone	76.2 × 457.2 mm	Square Bevel	3.34 m²
Select / Basket weave	Square: 190.5 × 190.5 mm Plank: 76.2 × 457.2 mm	Square	Square: 3.92 m² Plank: 3.34 m²
Select / Tile	304.8 × 609.6 mm	Micro Bevel	2.97 m²
Signature / Wide plank	236.6 × 1532 mm	Micro Bevel	3.62 m²
Signature / Herringbone	150 × 750 mm	Micro Bevel	3.62 m²
Signature / Chevron	158 × 710 mm	Square Bevel	3.37 m²

SELECT

2.5 mm overall / 0.55 mm wear layer

SIGNATURE

3 mm overall / 0.70 mm wear layer

All dimensions refer to full flooring pieces, not sample cuttings. Basket weave uses separate square and plank components. Plan both quantities with your fitter. Pack coverage follows the technical sheets; confirm it on the packs before ordering.

Fitting and care essentials

INSTALLATION & EVERYDAY CARE

A good start. A lasting finish.

Prepare the base

Glue-down LVT needs a firm, smooth, clean and dry subfloor. Test moisture and use a compatible preparation, moisture-control and adhesive system.

Check before fitting

Check the SKU, design, batch and quantity. Inspect in good light, blend several packs and agree the laying direction before bonding.

Fit with care

Use a competent fitter. Follow the product and adhesive instructions for acclimatisation, working time, rolling and protection while curing.

Manage the warmth

Use only a suitable underfloor heating system and follow the heating instructions. Do not exceed a floor surface temperature of 27°C.

Keep it simple

Remove loose dirt regularly. Clean with a suitable LVT cleaner according to its instructions and wipe up spills promptly.

Protect the surface

Use suitable furniture protection and entrance matting. Lift heavy items rather than dragging them, and avoid abrasive cleaning methods.

Confidence, with clear conditions.

Lifetime residential and 15-year commercial warranty, subject to terms. This brochure provides an overview; use the full product-specific installation, care and warranty documents supplied with your order.

COLOUR, FORMAT & ORDERING CODE

Select / product reference

Core Form colour	Format	Core Form SKU
Beaumont Oak	Standard plank	CF-SEL-P185-711
Aurelia Oak	Standard plank	CF-SEL-P185-712
Wychwood Oak	Standard plank	CF-SEL-P185-714
Aveline Oak	Standard plank	CF-SEL-P185-715
Chatsworth Oak	Standard plank	CF-SEL-P185-717
Eversley Oak	Standard plank	CF-SEL-P185-739
Lymington Oak	Standard plank	CF-SEL-P185-761
Wentworth Oak	Standard plank	CF-SEL-P185-762
Clarendon Oak	Standard plank	CF-SEL-P185-763
Ravenswick Oak	Standard plank	CF-SEL-P185-764
Nordhaven Oak	Wide plank	CF-SEL-P229-110
Beaumont Oak	Wide plank	CF-SEL-P229-111
Aurelia Oak	Wide plank	CF-SEL-P229-112
Silvermere Oak	Wide plank	CF-SEL-P229-113
Wychwood Oak	Wide plank	CF-SEL-P229-114
Aveline Oak	Wide plank	CF-SEL-P229-115
Montrose Oak	Wide plank	CF-SEL-P229-116
Chatsworth Oak	Wide plank	CF-SEL-P229-117
Kingsley Oak	Wide plank	CF-SEL-P229-118
Blenheim Oak	Wide plank	CF-SEL-P229-119
Nordhaven Oak	Herringbone	CF-SEL-HB-210
Beaumont Oak	Herringbone	CF-SEL-HB-211

COLOUR, FORMAT & ORDERING CODE


Select / product reference

Core Form colour	Format	Core Form SKU
Aurelia Oak	Herringbone	CF-SEL-HB-212
Silvermere Oak	Herringbone	CF-SEL-HB-213
Wychwood Oak	Herringbone	CF-SEL-HB-214
Aveline Oak	Herringbone	CF-SEL-HB-215
Montrose Oak	Herringbone	CF-SEL-HB-216
Chatsworth Oak	Herringbone	CF-SEL-HB-217
Kingsley Oak	Herringbone	CF-SEL-HB-218
Blenheim Oak	Herringbone	CF-SEL-HB-219
Nordhaven Oak	Basket weave	CF-SEL-BW-260
Beaumont Oak	Basket weave	CF-SEL-BW-261
Aurelia Oak	Basket weave	CF-SEL-BW-262
Silvermere Oak	Basket weave	CF-SEL-BW-263
Wychwood Oak	Basket weave	CF-SEL-BW-264
Aveline Oak	Basket weave	CF-SEL-BW-265
Montrose Oak	Basket weave	CF-SEL-BW-266
Chatsworth Oak	Basket weave	CF-SEL-BW-267
Kingsley Oak	Basket weave	CF-SEL-BW-268
Blenheim Oak	Basket weave	CF-SEL-BW-269
Bellagio Stone	Tile	CF-SEL-TL-510
Portman Stone	Tile	CF-SEL-TL-511
Ashford Stone	Tile	CF-SEL-TL-512
Obsidian Slate	Tile	CF-SEL-TL-513

COLOUR, FORMAT & ORDERING CODE

Signature / product reference

Core Form colour	Format	Core Form SKU
Belvedere Oak	Wide plank	CF-SIG-P237-315
Sandringham Oak	Wide plank	CF-SIG-P237-316
Amberley Oak	Wide plank	CF-SIG-P237-317
Highgrove Oak	Wide plank	CF-SIG-P237-318
Eversley Oak	Wide plank	CF-SIG-P237-319
Belvedere Oak	Herringbone	CF-SIG-HB-415
Sandringham Oak	Herringbone	CF-SIG-HB-416
Amberley Oak	Herringbone	CF-SIG-HB-417
Highgrove Oak	Herringbone	CF-SIG-HB-418
Eversley Oak	Herringbone	CF-SIG-HB-419
Lymington Oak	Chevron	CF-SIG-CH-611
Wentworth Oak	Chevron	CF-SIG-CH-612
Clarendon Oak	Chevron	CF-SIG-CH-613
Ravenswick Oak	Chevron	CF-SIG-CH-614



A foundation for your home.

Explore the colours. Compare the patterns.
Choose the floor that brings your space together.

SELECT / SIGNATURE

CORE FORM / LUXURY VINYL FLOORING BY CORE GRAIN

Design proof - website and contact details to be added.